	Application No.	Applicant(s)
	09/844,504	DOMANICO, MARK WAYNE
Notice of Allowability	Examiner	Art Unit
	Thu Khanh T. Nguyen	1722
The MAILING DATE of this communication ap All claims being allowable, PROSECUTION ON THE MERITS I herewith (or previously mailed), a Notice of Allowance (PTOL-8 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3	S (OR REMAINS) CLOSED in this 5) or other appropriate communicat RIGHTS. This application is subjection	application. If not included tion will be mailed in due course. THIS
1. $igspace$ This communication is responsive to <u>the amendment file</u>	ed 01/12/04.	
2. 🔀 The allowed claim(s) is/are <u>1-11</u> .		
3. \boxtimes The drawings filed on <u>27 December 2001</u> are accepted b	by the Examiner.	
 4. Acknowledgment is made of a claim for foreign priority a) All b) Some* c) None of the: 1. Certified copies of the priority documents hat 2. Certified copies of the priority documents hat 3. Copies of the certified copies of the priority of International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be sub INFORMAL PATENT APPLICATION (PTO-152) which g 6. CORRECTED DRAWINGS (as "replacement sheets") m (a) including changes required by the Notice of Draftsper 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examine Paper No./Mail Date Identifying indicia such as the application number (see 37 CFF each sheet. Replacement sheet(s) should be labeled as such in 	eve been received. Eve been received in Application Not documents have been received in the event of this communication to file a replace. Event of this communication to file a replace of this application. Event of this application to file a replace of this application.	nis national stage application from the ply complying with the requirements ER'S AMENDMENT or NOTICE OF aration is deficient. TO-948) attached e Office action of awings in the front (not the back) of
7. DEPOSIT OF and/or INFORMATION about the department attached Examiner's comment regarding REQUIREMEN	posit of BIOLOGICAL MATERIA	L must be submitted. Note the
		·
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informa	al Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948	8) 6. ⊠ Interview Summ Paper No./Mail	
3. Information Disclosure Statements (PTO-1449 or PTO/SE Paper No./Mail Date		
Examiner's Comment Regarding Requirement for Deposi of Biological Material	t 8. 🛭 Examiner's State 9. 🗌 Other	ement of Reasons for Allowance
•		

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Jody Factor on February 3, 2004.

The application has been amended as follows: cancel claims 14-26. Also, the status for claim 8 should have been <u>Previously Presented</u> and not "Previously Amended" as cited in the amendment.

- 2. Claims 1-11 are allowed over the prior art of record.
- 3. The following is an examiner's statement of reasons for allowance:

Kott et al (4,750,967) teach an apparatus for forming a liner on a washbasin, comprising a container (60) defining a cavity (86), a seal (72, 56) forming a continuous seal with a bathtub liner (50), an electric heating element (78; col. 11, lines 63-65) which is located inside the top wall of the cavity, means for increasing pressure (a negative pressure, 96) to force the bathtub liner outwardly, away from the cavity and cover the bathtub, wherein the container (60) includes a top surface (76) and a plurality of side walls (82, col. 12, lines 8), which associated with the top surface (col. 12, lines 4-10) and defines a lower perimeter of the container, and the seal member (72) extending about the perimeter of the side walls (col. 10, lines 12-16); a portion (82) of the container comprises a transparent member (84) for visual inspection of the cavity (col. 13, lines 14-16).

Art Unit: 1722

Kott et al, however, fail to disclose a weight on the container to facilitate the sealing of the seal member, in which the weight comprises a fluid container having at least one inlet and outlet to control the amount of fluid inside the fluid container.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thu Khanh T. Nguyen whose telephone number is 571-272-1136. The examiner can normally be reached on Monday- Friday, 6:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wanda L Walker can be reached on 571-272-1151. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TN

ROBERT DAVIS PRIMARY EXAMINER GROUP_1300 / 700